

(FILE 'HOME' ENTERED AT 16:12:37 ON 04 JUN 2001)

FILE 'MEDLINE' ENTERED AT 16:13:01 ON 04 JUN 2001

L1 2300 S CHEMOKINE AND (INHIBIT? OR ANTAGONI? OR BLOCK)
L2 846 S L1 AND (FANTES OR MCP?)
L3 23 S L2 AND TRUNCAT?
L4 2 S L3 AND PY>1999
L5 6 S L3 AND PY=1998
L6 8 S L3 AND PY<1998
L7 7 S L3 AND PY>1998
L8 0 S EMBASE, BIOSIS, CAPLUS
L9 0 F EMBASE, BIOSIS, CAPLUS

FILE 'EMBASE, BIOSIS, CAPLUS' ENTERED AT 16:41:18 ON 04 JUN 2001

L10 25 S L5
L11 23 S L6
L12 12 DUP REM L10 (13 DUPLICATES REMOVED)
L13 10 DUP REM L11 (13 DUPLICATES REMOVED)

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Search Results -

Terms	Documents
(RANTES or MCP\$) same (inhibit\$ or antagoni\$ or block) and (RANTES or MCP\$).clm.	79

US Patents Full Text Database ☐

US Patents Full Text Database ☐

JPO Abstracts Database

EPO Abstracts Database

Derwent World Patents Index

Database: IBM Technical Disclosure Bulletins ☐

Refine Search:


(RANTES or MCP\$) same (inhibit\$ or
antagoni\$ or block) and (RANTES or
MCP\$).clm.

Clear

Search History

Today's Date: 5/31/2001

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT,PGPB	(RANTES or MCP\$) same (inhibit\$ or antagoni\$ or block) and (RANTES or MCP\$).clm.	79	<u>L4</u>
USPT,PGPB	(RANTES or MCP\$) same (inhibit\$ or antagonist\$ or block)	966	<u>L3</u>
USPT,PGPB	6168784 pn. or 5965697 pn. or 6159711.pn. or 6168784.pn. or 5605817 pn.	4	<u>L2</u>
USPT,PGPB	5993814 pn. or 6031083 pn. or 5688927.pn. or 5932703 pn. or 5602008 pn. or 5874211.pn. or 5936068.pn.	7	<u>L1</u>



PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM

Search PubMed

Limits Preview/Index History Clipboard

Entrez PubMed

- Search History will be lost after one hour of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

NEW

Search

Most Recent Queries

Time Result


#1 Search Proost P

07:04:54 112

PubMed Services

Related Resources

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)



PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM

Search PubMed ☐ for Proost P

Limits Preview/Index History Clipboard

- The Clipboard will hold a maximum of 500 items.
- Clipboard items will be lost after one hour of inactivity.

Entrez PubMed

Summary Text

NEW

Show: 20 Page 1 of 2 Select pa

PubMed Services

- 1: [Aquaro S, Menten P, Struyf S, Proost P, Van Damme J, De Clercq E, Schols D.](#)
The LD78beta isoform of MIP-1alpha is the most potent CC-chemokine in inhibiting CCR5-dependent human immunodeficiency virus type 1 replication in human macrophages. *J Virol.* 2001 May;75(9):4402-6.
PMID: 11287590 [PubMed - indexed for MEDLINE]

Related Resources

- 2: [Blaszczyk J, Coillie EV, Proost P, Damme JV, Opendakker G, Bujacz GD, Wang JM, Ji X.](#)
Complete crystal structure of monocyte chemotactic protein-2, a CC chemokine that interacts with multiple receptors.

Biochemistry. 2000 Nov 21;39(46):14075-81.
PMID: 11087354 [PubMed - indexed for MEDLINE]

- 3: [Van den Steen PE, Proost P, Wuyts A, Van Damme J, Opendakker G.](#)
Neutrophil gelatinase B potentiates interleukin-8 tenfold by aminoterminal processing, it degrades CTAP-III, PF-4, and GRO-alpha and leaves RANTES and MCP-2 intact. *Blood.* 2000 Oct 15;96(8):2673-81.
PMID: 11023497 [PubMed - indexed for MEDLINE]

- 4: [Proost P, Menten P, Struyf S, Schutyser E, De Meester I, Van Damme J.](#)
Cleavage by CD26/dipeptidyl peptidase IV converts the chemokine LD78beta into a more efficient monocyte attractant and CCR1 agonist. *Blood.* 2000 Sep 1;96(5):1674-80.
PMID: 10961862 [PubMed - indexed for MEDLINE]

- 5: [De Meester I, Durinx C, Bal G, Proost P, Struyf S, Goossens F, Augustyns K, Scharpe S.](#)
Natural substrates of dipeptidyl peptidase IV. *Adv Exp Med Biol.* 2000;477:67-87. Review. No abstract available.
PMID: 10849732 [PubMed - indexed for MEDLINE]

- 6: [Van Damme J, Struyf S, Wuyts A, Van Coillie E, Menten P, Schols D, Sozzani S, De Meester I, Proost P.](#)
The role of CD26/DPP IV in chemokine processing.

The LD78beta isoform of MIP-1alpha is the most potent CCR5 agonist and HIV-1-inh

- 8: Struyf S, Proost P, Schols D, De Clercq E, Opdenakker G, Lenaerts JP, Detheux M, Parmentier M, De Meester I, Scharpe S, Van Damme J. **Relate**
CD26/dipeptidyl-peptidase IV down-regulates the eosinophil chemotactic potency, but anti-HIV activity of human eotaxin by affecting its interaction with CC chemokine receptor 4.
J Immunol. 1999 Apr 15;162(8):4903-9.
PMID: 10202035 [PubMed - indexed for MEDLINE]
- 9: Wuyts A, Govaerts C, Struyf S, Lenaerts JP, Put W, Conings R, Proost P, Van Damme J. **Relate**
Isolation of the CXC chemokines ENA-78, GRO alpha and GRO gamma from tumor c leukocytes reveals NH2-terminal heterogeneity. Functional comparison of different nat isoforms.
Eur J Biochem. 1999 Mar;260(2):421-9.
PMID: 10095777 [PubMed - indexed for MEDLINE]
- 10: Proost P, Struyf S, Schols D, Opdenakker G, Sozzani S, Allavena P, Mantovani A, Augustyns K, Bal G, Haemers A, Lambeir AM, Scharpe S, Van Damme J, De Meester I. **Relate**
Truncation of macrophage-derived chemokine by CD26/ dipeptidyl-peptidase IV beyon predicted cleavage site affects chemotactic activity and CC chemokine receptor 4 intera
J Biol Chem. 1999 Feb 12;274(7):3988-93.
PMID: 9933589 [PubMed - indexed for MEDLINE]
- 11: Schols D, Proost P, Struyf S, Wuyts A, De Meester I, Scharpe S, Van Damme J, De Clercq E. **Relate**
CD26-processed RANTES(3-68), but not intact RANTES, has potent anti-HIV-1 acti
Antiviral Res. 1998 Oct;39(3):175-87.
PMID: 9833958 [PubMed - indexed for MEDLINE]
- 12: Struyf S, Proost P, Sozzani S, Mantovani A, Wuyts A, De Clercq E, Schols D, Van Damme J. **Relate**
Enhanced anti-HIV-1 activity and altered chemotactic potency of NH2-terminally proc macrophage-derived chemokine (MDC) imply an additional MDC receptor.
J Immunol. 1998 Sep 15;161(6):2672-5.
PMID: 9743322 [PubMed - indexed for MEDLINE]
- 13: Van Coillie E, Proost P, Van Aelst I, Struyf S, Polfliet M, De Meester I, Harvey DJ, Van Damme J, Opdenakker G. **Related Articles, Protein, N**
Functional comparison of two human monocyte chemotactic protein-2 isoforms, role c amino-terminal pyroglutamic acid and processing by CD26/dipeptidyl peptidase IV.
Biochemistry. 1998 Sep 8;37(36):12672-80.
PMID: 9730840 [PubMed - indexed for MEDLINE]
- 14: Proost P, Struyf S, Schols D, Durinx C, Wuyts A, Lenaerts JP, De Clercq E, De Meester I, Van Damme J. **Relate**
Processing by CD26/dipeptidyl-peptidase IV reduces the chemotactic and anti-HIV-1 a of stromal-cell-derived factor-1alpha.
FEBS Lett. 1998 Jul 31;432(1-2):73-6.
PMID: 9710254 [PubMed - indexed for MEDLINE]
- 15: Van Aelst I, Proost P, Van Coillie E, Struyf S, Polfliet M, De Meester I, Harvey DJ, Van Damme J, Opdenakker G. **Related Articles, Protein, N**
Functional comparison of two human monocyte chemotactic protein-2 isoforms, role c amino-terminal pyroglutamic acid and processing by CD26/dipeptidyl peptidase IV.
PMID: 9565366 [PubMed - indexed for MEDLINE]

- 16: [Proost P, Struyf S, Couvreur M, Lenaerts JP, Conings R, Menten P, Verhaert P, Wuyts A, Van Damme J](#) [Relate](#)

Posttranslational modifications affect the activity of the human monocyte chemotactic MCP-1 and MCP-2: identification of MCP-2(6-76) as a natural chemokine inhibitor.

J Immunol. 1998 Apr 15;160(8):4034-41.

PMID: 9558113 [PubMed - indexed for MEDLINE]

- 17: [Proost P, De Meester I, Schols D, Struyf S, Lambeir AM, Wuyts A, Opdenakker G, De Clercq E, Scharpe S, Van Damme J](#) [Relate](#)

Amino-terminal truncation of chemokines by CD26/dipeptidyl-peptidase IV. Conversion of RANTES into a potent inhibitor of monocyte chemotaxis and HIV-1-infection.

J Biol Chem. 1998 Mar 27;273(13):7222-7.

PMID: 9516414 [PubMed - indexed for MEDLINE]

- 18: [Proost P, Wuyts A, Conings R, Lenaerts JP, Put W, Van Damme J](#) [Relate](#)

Purification and Identification of Natural Chemokines

Methods. 1996 Aug;10(1):82-92.

PMID: 8812648 [PubMed - as supplied by publisher]

- 19: [Proost P, Wuyts A, van Damme J](#) [Relate](#)

The role of chemokines in inflammation.

Int J Clin Lab Res. 1996;26(4):211-23. Review.

PMID: 9007610 [PubMed - indexed for MEDLINE]

- 20: [Sozzani S, Allavena P, Proost P, Van Damme J, Mantovani A](#) [Relate](#)

Chemokines as targets for pharmacological intervention.

Prog Drug Res. 1996;47:53-80. Review. No abstract available.

PMID: 8961764 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Order	Remove from Clipboard
Show:	20	▼	Items 1-20 of 27			Page 1 of 2		Select page

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Entrez PubMed

Show: Page 2 of 2 Select page

NEW

PubMed Services

Related Resources

- 21: [Proost P, Wuyts A, Van Damme J.](#) [Relate](#)
Human monocyte chemotactic proteins-2 and -3: structural and functional comparison MCP-1.
J Leukoc Biol. 1996 Jan;59(1):67-74. Review.
PMID: 8558070 [PubMed - indexed for MEDLINE]
- 22: [Masure S, Paemen L, Proost P, Van Damme J, Opdenakker G.](#) [Relate](#)
Expression of a human mutant monocyte chemotactic protein 3 in Pichia pastoris and characterization as an MCP-3 receptor antagonist.
J Interferon Cytokine Res. 1995 Nov;15(11):955-63.
PMID: 8590307 [PubMed - indexed for MEDLINE]
- 23: [Proost P, Van Leuven P, Wuyts A, Ebberink R, Opdenakker G, Van Damme J.](#) [Relate](#)
Chemical synthesis, purification and folding of the human monocyte chemotactic protein MCP-2 and MCP-3 into biologically active chemokines.
Cytokine. 1995 Feb;7(2):97-104.
PMID: 7780043 [PubMed - indexed for MEDLINE]
- 24: [Bertini R, Luini W, Sozzani S, Bottazzi B, Ruggiero P, Boraschi D, Saggioro D, Chieco-Bianchi L, Proost P, van Damme J, et al.](#) [Relate](#)
Identification of MIP-1 alpha/LD78 as a monocyte chemoattractant released by the HTLV-I-transformed cell line MT4.
AIDS Res Hum Retroviruses. 1995 Jan;11(1):155-60.
PMID: 7537510 [PubMed - indexed for MEDLINE]
- 25: [Van Damme J, Proost P, Put W, Arens S, Lenaerts JP, Conings R, Opdenakker G, Heremans H, Billiau A.](#) [Relate](#)
Induction of monocyte chemotactic proteins MCP-1 and MCP-2 in human fibroblasts and leukocytes by cytokines and cytokine inducers. Chemical synthesis of MCP-2 and development of a specific RIA.
J Immunol. 1994 Jun 1;152(11):5495-502.
PMID: 8189067 [PubMed - indexed for MEDLINE]
- 26: [Van Damme J, Proost P, Lenaerts JP, Conings R, Opdenakker G, Billiau A.](#) [Relate](#)
Monocyte chemotactic proteins related to human MCP-1.
Adv Exp Med Biol. 1993;351:111-8. Review. No abstract available.
PMID: 7537510 [PubMed - indexed for MEDLINE]

Structural and functional identification of two human, tumor-derived monocyte chemotactic proteins (MCP-2 and MCP-3) belonging to the chemokine family.

J Exp Med 1992 Jul 1;176(1):59-65.
PMID: 1313466 [PubMed - indexed for MEDLINE]

[Display](#) [Summary](#) ☐ [Sort](#) ☐ [Save](#) [Text](#) [Order](#) [Remove from Clipboard](#)
Show: ☐ Items 21-27 of 27 Page 2 of 2 Select page

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)